

| Material       | pack   | Description   |
|----------------|--------|---|
| 184497-1L      | 1L     | 1,3-Dioxolane Reagent Grade, contains ~75 ppm BHT as inhibitor, 99%   |
| 537993-1L      | 1L     | 1-Butanol 99.9%   |
| 537993-6X1L    | 6X1L   | 1-Butanol 99.9%   |
| 33065-1L-R     | 1L     | 1-Butanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.5% (GC)   |
| 33065-6X1L-R   | 6X1L   | 1-Butanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.5% (GC)   |
| 34958-1L       | 1L     | 1-Chlorobutane CHROMASOLV®, for HPLC, ≥99.8%  |
| 34499-1L       | 1L     | 2,2,4-Trimethylpentane CHROMASOLV® for pesticide residue analysis   |
| 34499-6X1L     | 6X1L   | 2,2,4-Trimethylpentane CHROMASOLV® for pesticide residue analysis   |
| 34499-2.5L     | 2.5L   | 2,2,4-Trimethylpentane CHROMASOLV® for pesticide residue analysis   |
| 34862-2.5L     | 2.5L   | 2,2,4-Trimethylpentane CHROMASOLV®, for HPLC, ≥99%  |
| 34862-4X2.5L   | 4X2.5L | 2,2,4-Trimethylpentane CHROMASOLV®, for HPLC, ≥99%  |
| 258776-2.5L    | 2.5L   | 2,2,4-Trimethylpentane Reagent Grade, ≥99%  |
| 33407-2.5L     | 2.5L   | 2-Butanone puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.5% (GC)   |
| 33407-4X2.5L   | 4X2.5L | 2-Butanone puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.5% (GC)   |
| 34863-2.5L     | 2.5L   | 2-Propanol CHROMASOLV®, 99.9%   |
| 34863-4X2.5L   | 4X2.5L | 2-Propanol CHROMASOLV®, 99.9%   |
| 34965-1L       | 1L     | 2-Propanol LC-MS CHROMASOLV®  |
| 34965-6X1L     | 6X1L   | 2-Propanol LC-MS CHROMASOLV®  |
| 34965-2.5L     | 2.5L   | 2-Propanol LC-MS CHROMASOLV®  |
| 34965-4X2.5L   | 4X2.5L | 2-Propanol LC-MS CHROMASOLV®  |
| 33539-1L-R     | 1L     | 2-Propanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)  |
| 33539-6X1L-R   | 6X1L   | 2-Propanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)  |
| 33539-2.5L-R   | 2.5L   | 2-Propanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)  |
| 33539-4X2.5L-R | 4X2.5L | 2-Propanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)  |
| 33539-5L-R     | 5L     | 2-Propanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)  |
| 24137-1L-R     | 1L     | 2-Propanol puriss., meets analytical specification of Ph. Eur., BP, USP, ≥99.5% (GC)  |
| 24137-6X1L-R   | 6X1L   | 2-Propanol puriss., meets analytical specification of Ph. Eur., BP, USP, ≥99.5% (GC)  |
| 24137-2.5L-R   | 2.5L   | 2-Propanol puriss., meets analytical specification of Ph. Eur., BP, USP, ≥99.5% (GC)  |
| 24137-4X2.5L-R | 4X2.5L | 2-Propanol puriss., meets analytical specification of Ph. Eur., BP, USP, ≥99.5% (GC)  |
| 24137-5L-R     | 5L     | 2-Propanol puriss., meets analytical specification of Ph. Eur., BP, USP, ≥99.5% (GC)  |
| 24137-4X5L-R   | 4X5L   | 2-Propanol puriss., meets analytical specification of Ph. Eur., BP, USP, ≥99.5% (GC)  |
| 59090-1L       | 1L     | 3-Methylbutanol puriss. p.a., ACS reagent, ≥98.5% (GC)  |
| 49199-50ML-F   | 50ML   | Acetic acid eluent additive for LC-MS   |
| 33209-1L       | 1L     | Acetic acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8%  |
| 33209-6X1L     | 6X1L   | Acetic acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8%  |
| 33209-2.5L     | 2.5L   | Acetic acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8%  |
| 33209-4X2.5L   | 4X2.5L | Acetic acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8%  |
| 27221-1L       | 1L     | Acetic acid puriss., 99-100%  |
| 27221-6X1L     | 6X1L   | Acetic acid puriss., 99-100%  |
| 27221-2.5L     | 2.5L   | Acetic acid puriss., 99-100%  |
| 27221-4X2.5L   | 4X2.5L | Acetic acid puriss., 99-100%  |
| 27225-2.5L-R   | 2.5L   | Acetic acid puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, 99.8-100.5%                                      |
| 27225-4X2.5L-R | 4X2.5L | Acetic acid puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, 99.8-100.5%                                      |
| 33214-1L       | 1L     | Acetic anhydride puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99% (GC)  |
| 33214-6X1L     | 6X1L   | Acetic anhydride puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99% (GC)  |
| 31062-2.5L     | 2.5L   | Acetone CHROMASOLV® for analysis of dioxins, furans and PCB, ≥99.8%   |
| 34480-2.5L     | 2.5L   | Acetone CHROMASOLV® for pesticide residue analysis  |
| 34480-4X2.5L   | 4X2.5L | Acetone CHROMASOLV® for pesticide residue analysis  |
| 650501-1L      | 1L     | Acetone CHROMASOLV® Plus, for HPLC, ≥99.9%  |
| 34850-2.5L     | 2.5L   | Acetone CHROMASOLV®, for HPLC, ≥99.8%   |
| 34850-4X2.5L   | 4X2.5L | Acetone CHROMASOLV®, for HPLC, ≥99.8%   |
| 179973-1L      | 1L     | Acetone Laboratory Reagent, ≥99.5%  |
| 179973-6X1L    | 6X1L   | Acetone Laboratory Reagent, ≥99.5%  |
| 179973-2.5L    | 2.5L   | Acetone Laboratory Reagent, ≥99.5%  |
| 32201-1L       | 1L     | Acetone puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.5% (GC)   |
| 32201-6X1L     | 6X1L   | Acetone puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.5% (GC)   |
| 32201-2.5L     | 2.5L   | Acetone puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.5% (GC)   |
| 32201-4X2.5L   | 4X2.5L | Acetone puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.5% (GC)   |
| 24201-2.5L-R   | 2.5L   | Acetone puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99% (GC)  |
| 24201-4X2.5L-R | 4X2.5L | Acetone puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99% (GC)  |
| 24201-5L-R     | 5L     | Acetone puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99% (GC)  |
| 24201-4X5L-R   | 4X5L   | Acetone puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99% (GC)  |
| 19182-250ML    | 250ML  | Acetonitrile 50%, Water 47.5% and Trifluoroacetic acid 2.5% for mass spectrometry   |
| 34481-2.5L     | 2.5L   | Acetonitrile CHROMASOLV® for pesticide residue analysis   |
| 34481-4X2.5L   | 4X2.5L | Acetonitrile CHROMASOLV® for pesticide residue analysis   |
| 34998-2.5L     | 2.5L   | Acetonitrile CHROMASOLV® Plus, for HPLC, ≥99.9%   |
| 34998-4X2.5L   | 4X2.5L | Acetonitrile CHROMASOLV® Plus, for HPLC, ≥99.9%   |
| 34851-1L       | 1L     | Acetonitrile CHROMASOLV®, for HPLC, gradient grade, ≥99.9%  |
| 34851-6X1L     | 6X1L   | Acetonitrile CHROMASOLV®, for HPLC, gradient grade, ≥99.9%  |
| 34851-2.5L     | 2.5L   | Acetonitrile CHROMASOLV®, for HPLC, gradient grade, ≥99.9%  |
| 34851-4X2.5L   | 4X2.5L | Acetonitrile CHROMASOLV®, for HPLC, gradient grade, ≥99.9%  |
| 34888-2.5L     | 2.5L   | Acetonitrile E CHROMASOLV®, for HPLC, for UV, ≥99.9% (GC)   |
| 34888-4X2.5L   | 4X2.5L | Acetonitrile E CHROMASOLV®, for HPLC, for UV, ≥99.9% (GC)   |
| 34967-1L       | 1L     | Acetonitrile LC-MS CHROMASOLV®  |
| 34967-6X1L     | 6X1L   | Acetonitrile LC-MS CHROMASOLV®  |
| 34967-2.5L     | 2.5L   | Acetonitrile LC-MS CHROMASOLV®  |
| 34967-4X2.5L   | 4X2.5L | Acetonitrile LC-MS CHROMASOLV®  |
| 05120-1KG      | 1KG    | Activated charcoal purum, powder  |
| 06220-1KG      | 1KG    | Aluminum chloride puriss. p.a., anhydrous, crystallized, ≥99.0% (AT)  |
| 33582-1L       | 1L     | Ammonia buffer solution ammonium chloride / ammonia, pH 10, for complexometry   |
| 33582-6X1L     | 6X1L   | Ammonia buffer solution ammonium chloride / ammonia, pH 10, for complexometry   |
| 17836-250G     | 250G   | Ammonium acetate for HPLC, ≥99.0%   |
| 32301-500G     | 500G   | Ammonium acetate puriss. p.a., ACS reagent, reagent Ph. Eur., ≥98%  |
| 32301-6X500G   | 6X500G | Ammonium acetate puriss. p.a., ACS reagent, reagent Ph. Eur., ≥98%  |
| 32301-1KG      | 1KG    | Ammonium acetate puriss. p.a., ACS reagent, reagent Ph. Eur., ≥98%  |
| 32301-6X1KG    | 6X1KG  | Ammonium acetate puriss. p.a., ACS reagent, reagent Ph. Eur., ≥98%  |
| 73432-100G-F   | 100G   | Ammonium acetate TraceSELECT®, ≥99.9995% (metals basis)   |
| 11209-1KG      | 1KG    | Ammonium chloride puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, 99.5-100.5% (calc. to the dried substance) |
| 11209-6X1KG    | 6X1KG  | Ammonium chloride puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, 99.5-100.5% (calc. to the dried substance) |
| 09725-100G     | 100G   | Ammonium chloride TraceSELECT®, for trace analysis, ≥99.9995% (metals basis)  |
| 17843-250G     | 250G   | Ammonium formate for HPLC, ≥99.0%   |
| 44273-100ML-F  | 100ML  | Ammonium hydroxide solution ≥25% in H2O, eluent additive for LC-MS  |

|                |         |   |
|----------------|---------|---|
| 30501-1L       | 1L      | Ammonium hydroxide solution puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis   |
| 30501-6X1L     | 6X1L    | Ammonium hydroxide solution puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis   |
| 30501-2.5L     | 2.5L    | Ammonium hydroxide solution puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis   |
| 30501-4X2.5L   | 4X2.5L  | Ammonium hydroxide solution puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis   |
| 30501-5L       | 5L      | Ammonium hydroxide solution puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis   |
| 30501-4X5L     | 4X5L    | Ammonium hydroxide solution puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis   |
| 05002-1L       | 1L      | Ammonium hydroxide solution puriss., 30-33% NH3 in H2O  |
| 09720-1KG      | 1KG     | Ammonium iron(II) sulfate hexahydrate puriss. p.a., reag. ISO, reag. Ph. Eur., ≥99.0% (RT)  |
| 09880-100G     | 100G    | Ammonium molybdate tetrahydrate puriss. p.a., ACS reagent, ≥99.0% (T)   |
| 09880-500G     | 500G    | Ammonium molybdate tetrahydrate puriss. p.a., ACS reagent, ≥99.0% (T)   |
| 31114-1KG      | 1KG     | Ammonium nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥98%   |
| 31114-6X1KG    | 6X1KG   | Ammonium nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥98%   |
| 35036-1L-R     | 1L      | Ammonium thiocyanate solution volumetric, 0.1 M NH4SCN (0.1N)   |
| 80750-1KG      | 1KG     | Barium chloride dihydrate ≥99%  |
| 31125-1KG-R    | 1KG     | Barium chloride dihydrate puriss. p.a. plus, ACS reagent, reag. ISO, reag. Ph. Eur., ≥99%   |
| 31125-6X1KG-R  | 6X1KG   | Barium chloride dihydrate puriss. p.a. plus, ACS reagent, reag. ISO, reag. Ph. Eur., ≥99%   |
| 108006-1L      | 1L      | Benzyl alcohol Reagent Grade, ≥99%  |
| 31146-1KG      | 1KG     | Boric acid puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., buffer substance, ≥99.8%   |
| 31146-6X1KG    | 6X1KG   | Boric acid puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., buffer substance, ≥99.8%   |
| 16050-1L       | 1L      | Bromine puriss. p.a., ≥99.0% (RT)   |
| 38743-1EA      | 1EA     | Buffer concentrate pH 4.00 for 500 ml buffer solution, citric acid / sodium hydroxide / sodium chloride solution                            |
| 38743-6X1EA    | 6X1EA   | Buffer concentrate pH 4.00 for 500 ml buffer solution, citric acid / sodium hydroxide / sodium chloride solution                            |
| 38746-1EA      | 1EA     | Buffer concentrate pH 7.00 for 500 ml buffer solution, potassium dihydrogen phosphate / disodium hydrogen phosphate                         |
| 38746-6X1EA    | 6X1EA   | Buffer concentrate pH 7.00 for 500 ml buffer solution, potassium dihydrogen phosphate / disodium hydrogen phosphate                         |
| 33649-1L-R     | 1L      | Buffer solution pH 10.0 (20oC) borax / sodium hydroxide   |
| 33649-6X1L-R   | 6X1L    | Buffer solution pH 10.0 (20oC) borax / sodium hydroxide   |
| 33649-500ML-R  | 500ML   | Buffer solution pH 10.0 (20oC) borax / sodium hydroxide   |
| 33668-1L       | 1L      | Buffer solution pH 10.0 (20oC) violet colored, borax / sodium hydroxide   |
| 33668-6X1L     | 6X1L    | Buffer solution pH 10.0 (20oC) violet colored, borax / sodium hydroxide   |
| 33668-500ML    | 500ML   | Buffer solution pH 10.0 (20oC) violet colored, borax / sodium hydroxide   |
| 33668-6X500ML  | 6X500ML | Buffer solution pH 10.0 (20oC) violet colored, borax / sodium hydroxide   |
| 31046-1L       | 1L      | Buffer solution pH 3.0 (20oC) citric acid / sodium hydroxide / sodium chloride solution, with fungicide, traceable to SRM from NIST and PTB |
| 31046-6X1L     | 6X1L    | Buffer solution pH 3.0 (20oC) citric acid / sodium hydroxide / sodium chloride solution, with fungicide, traceable to SRM from NIST and PTB |
| 33665-1L       | 1L      | Buffer solution pH 4.0 (20oC) red colored, citric acid / sodium hydroxide / sodium chloride solution, with fungicide                        |
| 33665-6X1L     | 6X1L    | Buffer solution pH 4.0 (20oC) red colored, citric acid / sodium hydroxide / sodium chloride solution, with fungicide                        |
| 33665-500ML    | 500ML   | Buffer solution pH 4.0 (20oC) red colored, citric acid / sodium hydroxide / sodium chloride solution, with fungicide                        |
| 33665-6X500ML  | 6X500ML | Buffer solution pH 4.0 (20oC) red colored, citric acid / sodium hydroxide / sodium chloride solution, with fungicide                        |
| 33643-1L       | 1L      | Buffer solution pH 4.0 (20oC) with fungicide, citric acid / sodium hydroxide / sodium chloride solution, traceable to SRM from NIST         |
| 33643-6X1L     | 6X1L    | Buffer solution pH 4.0 (20oC) with fungicide, citric acid / sodium hydroxide / sodium chloride solution, traceable to SRM from NIST         |
| 33643-500ML    | 500ML   | Buffer solution pH 4.0 (20oC) with fungicide, citric acid / sodium hydroxide / sodium chloride solution, traceable to SRM from NIST         |
| 33545-1L       | 1L      | Buffer solution pH 5.0 (20oC) citric acid / sodium hydroxide solution, with fungicide, traceable to SRM from NIST                           |
| 33545-6X1L     | 6X1L    | Buffer solution pH 5.0 (20oC) citric acid / sodium hydroxide solution, with fungicide, traceable to SRM from NIST                           |
| 33666-1L       | 1L      | Buffer solution pH 7.0 (20oC) green colored, potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide                   |
| 33666-6X1L     | 6X1L    | Buffer solution pH 7.0 (20oC) green colored, potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide                   |
| 33666-500ML    | 500ML   | Buffer solution pH 7.0 (20oC) green colored, potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide                   |
| 33666-6X500ML  | 6X500ML | Buffer solution pH 7.0 (20oC) green colored, potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide                   |
| 33646-1L       | 1L      | Buffer solution pH 7.0 (20oC) potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide, traceable to SRM from NIST      |
| 33646-6X1L     | 6X1L    | Buffer solution pH 7.0 (20oC) potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide, traceable to SRM from NIST      |
| 33646-500ML    | 500ML   | Buffer solution pH 7.0 (20oC) potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide, traceable to SRM from NIST      |
| 33646-6X500ML  | 6X500ML | Buffer solution pH 7.0 (20oC) potassium dihydrogen phosphate / disodium hydrogen phosphate, with fungicide, traceable to SRM from NIST      |
| 33648-1L       | 1L      | Buffer solution pH 9.0 (20oC) borax / hydrochloric acid, traceable to SRM from NIST   |
| 33648-6X1L     | 6X1L    | Buffer solution pH 9.0 (20oC) borax / hydrochloric acid, traceable to SRM from NIST   |
| 31307-1KG      | 1KG     | Calcium chloride dihydrate puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99%  |
| 31627-1L       | 1L      | Carbon disulfide for IR spectroscopy, puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.9% (GC)  |
| 342270-1L      | 1L      | Carbon disulfide Reagent Grade, low benzene, ≥99.9%   |
| 35066-1L       | 1L      | Cerium(IV) sulfate solution volumetric, 0.1 M Ce(SO4)2 (0.1N)   |
| 101389-2.5L    | 2.5L    | Chlorobenzene Reagent Grade, 99%  |
| 34854-2.5L     | 2.5L    | Chloroform CHROMASOLV®, for HPLC, ≥99.8%, amylene stabilized  |
| 34854-4X2.5L   | 4X2.5L  | Chloroform CHROMASOLV®, for HPLC, ≥99.8%, amylene stabilized  |
| 24216-2.5L-R   | 2.5L    | Chloroform contains ethanol as stabilizer, meets analytical specification of DAB9, BP, 99-99.4% (GC)  |
| 24216-4X2.5L-R | 4X2.5L  | Chloroform contains ethanol as stabilizer, meets analytical specification of DAB9, BP, 99-99.4% (GC)  |
| 32211-1L       | 1L      | Chloroform puriss. p.a., reag. ISO, reag. Ph. Eur., 99.0-99.4% (GC)   |
| 32211-6X1L     | 6X1L    | Chloroform puriss. p.a., reag. ISO, reag. Ph. Eur., 99.0-99.4% (GC)   |
| 32211-2.5L     | 2.5L    | Chloroform puriss. p.a., reag. ISO, reag. Ph. Eur., 99.0-99.4% (GC)   |
| 32211-4X2.5L   | 4X2.5L  | Chloroform puriss. p.a., reag. ISO, reag. Ph. Eur., 99.0-99.4% (GC)   |
| 12849-1KG      | 1KG     | Copper(II) sulfate pentahydrate puriss., suitable for, meets analytical specification of Ph. Eur., BP, USP, FCC                             |
| 12849-6X1KG    | 6X1KG   | Copper(II) sulfate pentahydrate puriss., suitable for, meets analytical specification of Ph. Eur., BP, USP, FCC                             |
| 179191-1L      | 1L      | Cyclohexane ACS reagent, ≥99%   |
| 179191-6X1L    | 6X1L    | Cyclohexane ACS reagent, ≥99%   |
| 34855-2.5L     | 2.5L    | Cyclohexane CHROMASOLV®, for HPLC, ≥99.7%   |
| 34855-4X2.5L   | 4X2.5L  | Cyclohexane CHROMASOLV®, for HPLC, ≥99.7%   |
| C100307-1L     | 1L      | Cyclohexane Laboratory Reagent, ≥99.8%  |
| C100307-2.5L   | 2.5L    | Cyclohexane Laboratory Reagent, ≥99.8%  |
| C100307-4X2.5L | 4X2.5L  | Cyclohexane Laboratory Reagent, ≥99.8%  |
| 33117-2.5L     | 2.5L    | Cyclohexane puriss. p.a., ACS reagent, ≥99.5% (GC)  |
| 33117-4X2.5L   | 4X2.5L  | Cyclohexane puriss. p.a., ACS reagent, ≥99.5% (GC)  |
| 34488-2.5L     | 2.5L    | Dichloromethane CHROMASOLV® for pesticide residue analysis  |
| 34488-4X2.5L   | 4X2.5L  | Dichloromethane CHROMASOLV® for pesticide residue analysis  |
| 34856-1L       | 1L      | Dichloromethane CHROMASOLV®, for HPLC, ≥99.8%, contains amylene as stabilizer   |
| 34856-6X1L     | 6X1L    | Dichloromethane CHROMASOLV®, for HPLC, ≥99.8%, contains amylene as stabilizer   |
| 34856-2.5L     | 2.5L    | Dichloromethane CHROMASOLV®, for HPLC, ≥99.8%, contains amylene as stabilizer   |
| 34856-4X2.5L   | 4X2.5L  | Dichloromethane CHROMASOLV®, for HPLC, ≥99.8%, contains amylene as stabilizer   |
| 32222-1L       | 1L      | Dichloromethane puriss. p.a., ACS reagent, reag. ISO, ≥99.9% (GC)   |
| 32222-6X1L     | 6X1L    | Dichloromethane puriss. p.a., ACS reagent, reag. ISO, ≥99.9% (GC)   |
| 32222-2.5L     | 2.5L    | Dichloromethane puriss. p.a., ACS reagent, reag. ISO, ≥99.9% (GC)   |
| 32222-4X2.5L   | 4X2.5L  | Dichloromethane puriss. p.a., ACS reagent, reag. ISO, ≥99.9% (GC)   |
| 24233-1L-R     | 1L      | Dichloromethane puriss., meets analytical specification of Ph. Eur., NF, ≥99% (GC)  |
| 24233-6X1L-R   | 6X1L    | Dichloromethane puriss., meets analytical specification of Ph. Eur., NF, ≥99% (GC)  |
| 24233-2.5L-R   | 2.5L    | Dichloromethane puriss., meets analytical specification of Ph. Eur., NF, ≥99% (GC)  |
| 24233-4X2.5L-R | 4X2.5L  | Dichloromethane puriss., meets analytical specification of Ph. Eur., NF, ≥99% (GC)  |
| 24233-5L-ALU-R | 5L      | Dichloromethane puriss., meets analytical specification of Ph. Eur., NF, ≥99% (GC)  |
| 32203-1L       | 1L      | Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8%                                       |
| 32203-6X1L     | 6X1L    | Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8%                                       |

|                |        |   |
|----------------|--------|---|
| 32203-2.5L     | 2.5L   | Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.8%                     |
| 32203-4X2.5L   | 4X2.5L | Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.8%                     |
| 32203-5L       | 5L     | Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.8%                     |
| 32203-4X5L     | 4X5L   | Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.8%                     |
| 51779-1L       | 1L     | Dimethyl sulfoxide CHROMASOLV® GC-Headspace tested, ≥99.9%  |
| 41640-1L       | 1L     | Dimethyl sulfoxide puriss. p.a., ACS reagent, ≥99.9% (GC)   |
| D5879-1L       | 1L     | Dimethyl sulfoxide Reagent Grade, ≥99.5%  |
| 31063-2.5L     | 2.5L   | Ethyl acetate CHROMASOLV® for pesticide residue analysis  |
| 31063-4X2.5L   | 4X2.5L | Ethyl acetate CHROMASOLV® for pesticide residue analysis  |
| 34858-2.5L     | 2.5L   | Ethyl acetate CHROMASOLV®, for HPLC, ≥99.7%   |
| 34858-4X2.5L   | 4X2.5L | Ethyl acetate CHROMASOLV®, for HPLC, ≥99.7%   |
| 34972-2.5L-R   | 2.5L   | Ethyl acetate LC-MS CHROMASOLV®   |
| 33211-1L-R     | 1L     | Ethyl acetate puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.5% (GC)   |
| 33211-6X1L-R   | 6X1L   | Ethyl acetate puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.5% (GC)   |
| 33211-2.5L-R   | 2.5L   | Ethyl acetate puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.5% (GC)   |
| 33211-4X2.5L-R | 4X2.5L | Ethyl acetate puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥99.5% (GC)   |
| 27227-1L-R     | 1L     | Ethyl acetate puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99.5% (GC)  |
| 27227-6X1L-R   | 6X1L   | Ethyl acetate puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99.5% (GC)  |
| 27227-5L-R     | 5L     | Ethyl acetate puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99.5% (GC)  |
| 27227-4X5L-R   | 4X5L   | Ethyl acetate puriss., meets analytical specification of Ph. Eur., BP, NF, ≥99.5% (GC)  |
| 03750-1L       | 1L     | Ethylene glycol puriss. p.a., Reagent, Ph. Eur., ≥99.5%   |
| 03750-6X1L     | 6X1L   | Ethylene glycol puriss. p.a., Reagent, Ph. Eur., ≥99.5%   |
| 33350-100G-R   | 100G   | Ethylenediaminetetraacetic acid dipotassium magnesium salt for complexometry, ≥98%  |
| 33350-6X100G-R | 6X100G | Ethylenediaminetetraacetic acid dipotassium magnesium salt for complexometry, ≥98%  |
| 38057-1EA      | 1EA    | Ethylenediaminetetraacetic acid disodium salt concentrate for 1L standard solution, 0.1 M EDTA-Na2, for complexometry           |
| 38057-6X1EA    | 6X1EA  | Ethylenediaminetetraacetic acid disodium salt concentrate for 1L standard solution, 0.1 M EDTA-Na2, for complexometry           |
| 34550-1L-R     | 1L     | Ethylenediaminetetraacetic acid disodium salt solution Reagent, Ph. Eur., volumetric, 0.1 M EDTA-Na2, for complexometry         |
| 34550-6X1L-R   | 6X1L   | Ethylenediaminetetraacetic acid disodium salt solution Reagent, Ph. Eur., volumetric, 0.1 M EDTA-Na2, for complexometry         |
| 03610-500G     | 500G   | Ethylenediaminetetraacetic acid for complexometry EDTA, ≥99.0%  |
| 36019-1L       | 1L     | Fehling's reagent II for sugars for determination of sugar, Reagent, Ph. Eur., solution II: potassium sodium tartrate, alkaline |
| 36019-6X1L     | 6X1L   | Fehling's reagent II for sugars for determination of sugar, Reagent, Ph. Eur., solution II: potassium sodium tartrate, alkaline |
| 46270-50ML     | 50ML   | Ferrous indicator solution redox indicator, 0.025 M   |
| 56302-50ML-F   | 50ML   | Formic acid eluent additive for LC-MS   |
| 94318-50ML-F   | 50ML   | Formic acid for mass spectrometry, ~98%   |
| 94318-250ML-F  | 250ML  | Formic acid for mass spectrometry, ~98%   |
| 33015-1L       | 1L     | Formic acid puriss. p.a., ACS reagent, reagent, Ph. Eur., ≥98%  |
| 33015-6X1L     | 6X1L   | Formic acid puriss. p.a., ACS reagent, reagent, Ph. Eur., ≥98%  |
| 27001-1L-R     | 1L     | Formic acid puriss., meets analytical specifications of DAC, FCC, 98.0-100%   |
| 27001-6X1L-R   | 6X1L   | Formic acid puriss., meets analytical specifications of DAC, FCC, 98.0-100%   |
| 49770-1L       | 1L     | Glycerol puriss. p.a., ACS reagent, anhydrous, dist., ≥99.5% (GC)   |
| 15523-1L-R     | 1L     | Glycerol puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E422, anhydrous, 99.0-101.0% (alkalimetric)         |
| 15523-6X1L-R   | 6X1L   | Glycerol puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E422, anhydrous, 99.0-101.0% (alkalimetric)         |
| 35097-1L       | 1L     | Hanus solution volumetric, 0.1 M IBr  |
| 34873-2.5L     | 2.5L   | Heptane CHROMASOLV®, for HPLC, ≥99%   |
| 34873-4X2.5L   | 4X2.5L | Heptane CHROMASOLV®, for HPLC, ≥99%   |
| 32287-1L       | 1L     | Heptane puriss. p.a., Reagent, Ph. Eur., ≥99% n-heptane basis (GC)  |
| 32287-6X1L     | 6X1L   | Heptane puriss. p.a., Reagent, Ph. Eur., ≥99% n-heptane basis (GC)  |
| 32287-2.5L     | 2.5L   | Heptane puriss. p.a., Reagent, Ph. Eur., ≥99% n-heptane basis (GC)  |
| 32287-4X2.5L   | 4X2.5L | Heptane puriss. p.a., Reagent, Ph. Eur., ≥99% n-heptane basis (GC)  |
| H2198-500ML    | 500ML  | Heptane Reagent Grade, 99%  |
| 34484-2.5L     | 2.5L   | Hexane CHROMASOLV® for pesticide residue analysis   |
| 34484-4X2.5L   | 4X2.5L | Hexane CHROMASOLV® for pesticide residue analysis   |
| 34859-2.5L     | 2.5L   | Hexane CHROMASOLV®, for HPLC, ≥97.0% (GC)   |
| 34859-4X2.5L   | 4X2.5L | Hexane CHROMASOLV®, for HPLC, ≥97.0% (GC)   |
| 32293-1L       | 1L     | Hexane puriss. p.a., ACS reagent, reagent, Ph. Eur., ≥99% (GC)  |
| 32293-6X1L     | 6X1L   | Hexane puriss. p.a., ACS reagent, reagent, Ph. Eur., ≥99% (GC)  |
| 32293-2.5L     | 2.5L   | Hexane puriss. p.a., ACS reagent, reagent, Ph. Eur., ≥99% (GC)  |
| 32293-4X2.5L   | 4X2.5L | Hexane puriss. p.a., ACS reagent, reagent, Ph. Eur., ≥99% (GC)  |
| 84415-500ML    | 500ML  | Hydrochloric acid ≥37%, TraceSELECT®, for trace analysis, fuming  |
| 38280-1EA      | 1EA    | Hydrochloric acid concentrate for 1 L standard solution, 0.1 M HCl (0.1 N)  |
| 38280-6X1EA    | 6X1EA  | Hydrochloric acid concentrate for 1 L standard solution, 0.1 M HCl (0.1 N)  |
| 38282-1EA      | 1EA    | Hydrochloric acid concentrate for 1 L standard solution, 1.0 M HCl (1.0 N)  |
| 38282-6X1EA    | 6X1EA  | Hydrochloric acid concentrate for 1 L standard solution, 1.0 M HCl (1.0 N)  |
| 07102-2.5L     | 2.5L   | Hydrochloric acid meets analytical specification of Ph. Eur., BP, NF, fuming, 36.5-38%  |
| 30720-2.5L-R   | 2.5L   | Hydrochloric acid puriss. p.a., ≥32%  |
| 30721-1L       | 1L     | Hydrochloric acid puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., fuming, ≥37%, APHA: 10                            |
| 30721-6X1L     | 6X1L   | Hydrochloric acid puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., fuming, ≥37%, APHA: 10                            |
| 30721-2.5L     | 2.5L   | Hydrochloric acid puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., fuming, ≥37%, APHA: 10                            |
| 30721-4X2.5L   | 4X2.5L | Hydrochloric acid puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., fuming, ≥37%, APHA: 10                            |
| 35335-1L       | 1L     | Hydrochloric acid solution Reagent, Ph. Eur., volumetric, 0.1 M HCl (0.1N)  |
| 35335-6X1L     | 6X1L   | Hydrochloric acid solution Reagent, Ph. Eur., volumetric, 0.1 M HCl (0.1N)  |
| 35329-1L       | 1L     | Hydrochloric acid solution Reagent, Ph. Eur., volumetric, 0.5 M HCl (0.5N)  |
| 35329-6X1L     | 6X1L   | Hydrochloric acid solution Reagent, Ph. Eur., volumetric, 0.5 M HCl (0.5N)  |
| 35328-1L       | 1L     | Hydrochloric acid solution Reagent, Ph. Eur., volumetric, 1 M HCl (1N)  |
| 35328-6X1L     | 6X1L   | Hydrochloric acid solution Reagent, Ph. Eur., volumetric, 1 M HCl (1N)  |
| 318965-2L      | 2L     | Hydrochloric acid solution volumetric, 0.1 M HCl (0.1N)   |
| 318965-500ML   | 500ML  | Hydrochloric acid solution volumetric, 0.1 M HCl (0.1N)   |
| 318949-2L      | 2L     | Hydrochloric acid solution volumetric, 1.0 M HCl (1.0N)   |
| 30107-1L       | 1L     | Hydrofluoric acid puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥48%  |
| 30107-6X1L     | 6X1L   | Hydrofluoric acid puriss. p.a., ACS reagent, reagent, ISO, reagent, Ph. Eur., ≥48%  |
| 30103-1L       | 1L     | Hydrofluoric acid puriss. p.a., reagent, ISO, reagent, Ph. Eur., ≥40%   |
| 30103-6X1L     | 6X1L   | Hydrofluoric acid puriss. p.a., reagent, ISO, reagent, Ph. Eur., ≥40%   |
| 216763-500ML   | 500ML  | Hydrogen peroxide solution contains inhibitor, 30 wt. % in H2O, ACS reagent   |
| 38061-1EA      | 1EA    | Iodide iodate concentrate for 1L standard solution, 0.05 M I2 (0.1N)  |
| 38061-6X1EA    | 6X1EA  | Iodide iodate concentrate for 1L standard solution, 0.05 M I2 (0.1N)  |
| 38060-1EA      | 1EA    | Iodine concentrate for 1L standard solution, 0.05 M I2 (0.1 N)  |
| 38060-6X1EA    | 6X1EA  | Iodine concentrate for 1L standard solution, 0.05 M I2 (0.1 N)  |
| 318981-500ML   | 500ML  | Iodine solution volumetric, 0.05 M I2 (0.1N)  |
| 35090-1L       | 1L     | Iodine solution volumetric, Reagent, Ph. Eur., 0.05 M I2 (0.1N)   |
| 35090-6X1L     | 6X1L   | Iodine solution volumetric, Reagent, Ph. Eur., 0.05 M I2 (0.1N)   |
| 220299-250G    | 250G   | Iron(II) chloride tetrahydrate Reagent Grade, 98%   |
| 31232-250G     | 250G   | Iron(III) chloride hexahydrate puriss. p.a., Reagent, Ph. Eur., ≥99%  |
| 60710-2.5L     | 2.5L   | Kerosene purum  |

|                |         |  |
|----------------|---------|--|
| 83384-100G     | 100G    | Mercury(II) sulfate puriss. p.a., ACS reagent, ≥99.0% (precipitation titration)  |
| 414816-1L      | 1L      | Methano CHROMASOLV® for GC/MS analysis of volatile organics, ≥99.9%  |
| 34860-1L-R     | 1L      | Methanol CHROMASOLV®, for HPLC, ≥99.9%   |
| 34860-6X1L-R   | 6X1L    | Methanol CHROMASOLV®, for HPLC, ≥99.9%   |
| 34860-2.5L-R   | 2.5L    | Methanol CHROMASOLV®, for HPLC, ≥99.9%   |
| 34860-4X2.5L-R | 4X2.5L  | Methanol CHROMASOLV®, for HPLC, ≥99.9%   |
| 34885-2.5L-R   | 2.5L    | Methanol CHROMASOLV®, gradient grade, for HPLC, ≥99.9%   |
| 34885-4X2.5L-R | 4X2.5L  | Methanol CHROMASOLV®, gradient grade, for HPLC, ≥99.9%   |
| 34966-1L       | 1L      | Methanol LC-MS CHROMASOLV®   |
| 34966-6X1L     | 6X1L    | Methanol LC-MS CHROMASOLV®   |
| 34966-2.5L     | 2.5L    | Methanol LC-MS CHROMASOLV®   |
| 34966-4X2.5L   | 4X2.5L  | Methanol LC-MS CHROMASOLV®   |
| 14262-1L       | 1L      | Methanol LC-MS Ultra CHROMASOLV®, tested for UHPLC-MS  |
| 14262-2L       | 2L      | Methanol LC-MS Ultra CHROMASOLV®, tested for UHPLC-MS  |
| 32213-1L       | 1L      | Methanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)   |
| 32213-6X1L     | 6X1L    | Methanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)   |
| 32213-2.5L     | 2.5L    | Methanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)   |
| 32213-4X2.5L   | 4X2.5L  | Methanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)   |
| 32213-5L       | 5L      | Methanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)   |
| 32213-4X5L     | 4X5L    | Methanol puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)   |
| 24229-2.5L-R   | 2.5L    | Methanol puriss., meets analytical specification of Ph Eur., ≥99.7% (GC)   |
| 24229-4X2.5L-R | 4X2.5L  | Methanol puriss., meets analytical specification of Ph Eur., ≥99.7% (GC)   |
| 32624-100G     | 100G    | Methyl Orange indicator, Reagent Ph. Eur.  |
| 44901-1L       | 1L      | N,N-Dimethylacetamide CHROMASOLV® GC-Headspace tested, ≥99.9%  |
| 51781-1L       | 1L      | N,N-Dimethylacetamide CHROMASOLV® GC-Headspace tested, ≥99.9%  |
| 270547-2.5L    | 2.5L    | N,N-Dimethylformamide CHROMASOLV® Plus, for HPLC, ≥99.9%   |
| 33120-1L-R     | 1L      | N,N-Dimethylformamide puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.8% (GC)   |
| 33120-6X1L-R   | 6X1L    | N,N-Dimethylformamide puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.8% (GC)   |
| 84385-1L       | 1L      | Nitric acid ≥69.0%, TraceSELECT®, for trace analysis   |
| 84385-500ML    | 500ML   | Nitric acid ≥69.0%, TraceSELECT®, for trace analysis   |
| 84385-6X500ML  | 6X500ML | Nitric acid ≥69.0%, TraceSELECT®, for trace analysis   |
| 84380-2.5L     | 2.5L    | Nitric acid puriss. p.a., ≥65% (T)   |
| 30709-1L       | 1L      | Nitric acid puriss. p.a., reagent ISO, reagent Ph. Eur., for determinations with dithizone, ≥65%                             |
| 30709-2.5L     | 2.5L    | Nitric acid puriss. p.a., reagent ISO, reagent Ph. Eur., for determinations with dithizone, ≥65%                             |
| 30709-4X2.5L   | 4X2.5L  | Nitric acid puriss. p.a., reagent ISO, reagent Ph. Eur., for determinations with dithizone, ≥65%                             |
| 84392-500ML    | 500ML   | Nitric acid purum p.a., fuming, packed in coated, shock- and leak-protected glass bottle, ≥99% (T)                           |
| 35315-1L-R     | 1L      | Nitric acid solution volumetric, 1 M HNO3 (1N)   |
| 38250-1EA      | 1EA     | Oxalic acid concentrate for 1L standard solution, 0.05 M (COOH)2 (0.1N)  |
| 60489-1L-R     | 1L      | Pentane ≥99% (GC)  |
| 60489-6X1L-R   | 6X1L    | Pentane ≥99% (GC)  |
| 34956-2.5L     | 2.5L    | Pentane CHROMASOLV®, for HPLC, ≥99.0%  |
| 34956-4X2.5L   | 4X2.5L  | Pentane CHROMASOLV®, for HPLC, ≥99.0%  |
| 30755-1L       | 1L      | Perchloric acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., 70.0-72.0%   |
| 35418-1L       | 1L      | Perchloric acid solution volumetric, 0.1 M HClO4 in glacial acetic acid (0.1N), for titration in non-aqueous medium          |
| 35418-6X1L     | 6X1L    | Perchloric acid solution volumetric, 0.1 M HClO4 in glacial acetic acid (0.1N), for titration in non-aqueous medium          |
| 31642-1L       | 1L      | PerdrogenTM 30% H2O2 (w/w) puriss. p.a., reagent ISO, reagent Ph. Eur., ≥30%   |
| 31642-6X1L     | 6X1L    | PerdrogenTM 30% H2O2 (w/w) puriss. p.a., reagent ISO, reagent Ph. Eur., ≥30%   |
| 77310-100G     | 100G    | Periodic acid puriss. p.a., ACS reagent, for oxidimetric titration, crystallized, ≥99.0% (RT)                                |
| 32299-1L       | 1L      | Petroleum ether puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 °C (≥ 90%) |
| 32299-6X1L     | 6X1L    | Petroleum ether puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 °C (≥ 90%) |
| 32299-2.5L     | 2.5L    | Petroleum ether puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 °C (≥ 90%) |
| 32299-4X2.5L   | 4X2.5L  | Petroleum ether puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 °C (≥ 90%) |
| 32299-5L       | 5L      | Petroleum ether puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 °C (≥ 90%) |
| 32299-4X5L     | 4X5L    | Petroleum ether puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 °C (≥ 90%) |
| 34607-500ML    | 500ML   | Phenolphthalein solution Reagent Ph. Eur., indicator, 1% in ethanol  |
| 34607-6X500ML  | 6X500ML | Phenolphthalein solution Reagent Ph. Eur., indicator, 1% in ethanol  |
| 319252-500ML   | 500ML   | Phosphate buffer solution pH 7.2   |
| 79606-100ML    | 100ML   | Phosphoric acid for HPLC, 85-90%   |
| 79606-500ML    | 500ML   | Phosphoric acid for HPLC, 85-90%   |
| 30417-1L       | 1L      | Phosphoric acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥85%   |
| 30417-6X1L     | 6X1L    | Phosphoric acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥85%   |
| 30417-2.5L     | 2.5L    | Phosphoric acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥85%   |
| 30417-4X2.5L   | 4X2.5L  | Phosphoric acid puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥85%   |
| 34919-100G     | 100G    | Potassium bromide for IR spectroscopy  |
| 34919-6X100G   | 6X100G  | Potassium bromide for IR spectroscopy  |
| 60130-1KG      | 1KG     | Potassium chloride puriss. p.a., ≥99.5% (AT)   |
| 12636-1KG      | 1KG     | Potassium chloride puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E508, 99-100.5% (AT), 0.0001% AI       |
| 12636-6X1KG    | 6X1KG   | Potassium chloride puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E508, 99-100.5% (AT), 0.0001% AI       |
| 38070-1EA-R    | 1EA     | Potassium hydroxide concentrate for 1L standard solution, 0.1 M KOH (0.1N)   |
| 38070-6X1EA-R  | 6X1EA   | Potassium hydroxide concentrate for 1L standard solution, 0.1 M KOH (0.1N)   |
| 30603-1KG      | 1KG     | Potassium hydroxide puriss. p.a., Reagent Ph. Eur., ≥85%, pellets  |
| 30603-6X1KG    | 6X1KG   | Potassium hydroxide puriss. p.a., Reagent Ph. Eur., ≥85%, pellets  |
| 35125-1L       | 1L      | Potassium hydroxide solution volumetric, 0.1 M KOH (0.1N)  |
| 35127-1L       | 1L      | Potassium hydroxide solution volumetric, 0.1 M KOH in ethanol (0.1N)   |
| 35127-6X1L     | 6X1L    | Potassium hydroxide solution volumetric, 0.1 M KOH in ethanol (0.1N)   |
| 35008-1L-R     | 1L      | Potassium hydroxide solution volumetric, 0.1 M KOH in isopropanol (0.1N), according to DIN 51558-1                           |
| 319333-500ML   | 500ML   | Potassium hydroxide solution volumetric, 0.1 M KOH in methanol (0.1N)  |
| 35115-1L       | 1L      | Potassium hydroxide solution volumetric, 0.5 M KOH in ethanol (0.5N)   |
| 35115-6X1L     | 6X1L    | Potassium hydroxide solution volumetric, 0.5 M KOH in ethanol (0.5N)   |
| 30315-100G     | 100G    | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-6X100G   | 6X100G  | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-250G     | 250G    | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-6X250G   | 6X250G  | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-500G     | 500G    | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-6X500G   | 6X500G  | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-1KG      | 1KG     | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 30315-6X1KG    | 6X1KG   | Potassium iodide puriss. p.a., reagent ISO, reagent Ph. Eur., ≥99.5%   |
| 03124-250G     | 250G    | Potassium iodide puriss., meets analytical specification of Ph. Eur. BP, USP, 99.0-100.5% (calc. to the dried substance)     |
| 03124-1KG      | 1KG     | Potassium iodide puriss., meets analytical specification of Ph. Eur. BP, USP, 99.0-100.5% (calc. to the dried substance)     |
| 03124-6X1KG    | 6X1KG   | Potassium iodide puriss., meets analytical specification of Ph. Eur. BP, USP, 99.0-100.5% (calc. to the dried substance)     |
| 31263-1KG      | 1KG     | Potassium nitrate puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99%   |
| 31263-6X1KG    | 6X1KG   | Potassium nitrate puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99%   |
| 38130-1EA-R    | 1EA     | Potassium permanganate concentrate for 1L standard solution, 1/50 M KMnO4 (0.1N)   |



|               |         |  |
|---------------|---------|--|
| 38130-6X1EA-R | 6X1EA   | Potassium permanganate concentrate for 1L standard solution, 1/50 M KMnO4 (0.1N)   |
| 35186-1L      | 1L      | Potassium permanganate solution volumetric, 0.02 M KMnO4 (0.1N)  |
| 35186-6X1L    | 6X1L    | Potassium permanganate solution volumetric, 0.02 M KMnO4 (0.1N)  |
| 60220-1KG     | 1KG     | Potassium phosphate monobasic buffer substance, anhydrous, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., 99.5-100.5%                           |
| 60221-250G    | 250G    | Potassium phosphate monobasic for HPLC, ≥99.5%   |
| 04243-1KG     | 1KG     | Potassium phosphate monobasic meets analytical specification of Ph. Eur., NF, E340, anhydrous, 98-100.5% (calc. to the dried substance)                |
| 04243-6X1KG   | 6X1KG   | Potassium phosphate monobasic meets analytical specification of Ph. Eur., NF, E340, anhydrous, 98-100.5% (calc. to the dried substance)                |
| 31270-1KG     | 1KG     | Potassium sulfate puriss. p.a., ACS reagent, reag. ISO, ≥99%   |
| 31270-6X1KG   | 6X1KG   | Potassium sulfate puriss. p.a., ACS reagent, reag. ISO, ≥99%   |
| 270407-1L     | 1L      | Pyridine CHROMASOLV® Plus, for HPLC, ≥99.9%  |
| 38310-1EA-R   | 1EA     | Silver nitrate concentrate for 1L standard solution, 0.1 M AgNO3 (0.1N)  |
| 38310-6X1EA-R | 6X1EA   | Silver nitrate concentrate for 1L standard solution, 0.1 M AgNO3 (0.1N)  |
| 31630-100G-R  | 100G    | Silver nitrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8%  |
| 35375-1L      | 1L      | Silver nitrate solution Reag. Ph. Eur., volumetric, 0.1 M AgNO3 (0.1N)   |
| 35375-6X1L    | 6X1L    | Silver nitrate solution Reag. Ph. Eur., volumetric, 0.1 M AgNO3 (0.1N)   |
| 34294-1L-R    | 1L      | Silver nitrate solution volumetric, 0.01 M AgNO3 (0.01N)   |
| 72271-1L      | 1L      | Silver nitrate solution volumetric, 0.1 M AgNO3 (0.1N)   |
| 34629-2.5L    | 2.5L    | Silver sulfate-Sulfuric acid solution for COD determination according to DIN 38409, part 41, solution (volumetric)                                     |
| 34629-4X2.5L  | 4X2.5L  | Silver sulfate-Sulfuric acid solution for COD determination according to DIN 38409, part 41, solution (volumetric)                                     |
| 32319-1KG-R   | 1KG     | Sodium acetate puriss. p.a., ACS reagent, reag. Ph. Eur., anhydrous  |
| 32319-6X1KG-R | 6X1KG   | Sodium acetate puriss. p.a., ACS reagent, reag. Ph. Eur., anhydrous  |
| 31432-1KG-R   | 1KG     | Sodium carbonate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., anhydrous, ≥99.8% (calc. to the dried substance)                                |
| 31432-6X1KG-R | 6X1KG   | Sodium carbonate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., anhydrous, ≥99.8% (calc. to the dried substance)                                |
| 31434-1KG-R   | 1KG     | Sodium chloride puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5%   |
| 31434-6X1KG-R | 6X1KG   | Sodium chloride puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5%   |
| 31434-5KG-R   | 5KG     | Sodium chloride puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5%   |
| 31434-4X5KG-R | 4X5KG   | Sodium chloride puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5%   |
| 38210-1EA     | 1EA     | Sodium hydroxide concentrate for 1 L standard solution, 0.1 M NaOH (0.1 N)   |
| 38210-6X1EA   | 6X1EA   | Sodium hydroxide concentrate for 1 L standard solution, 0.1 M NaOH (0.1 N)   |
| 38215-1EA-R   | 1EA     | Sodium hydroxide concentrate for 1 L standard solution, 1.0 M NaOH (1.0 N)   |
| 38215-6X1EA-R | 6X1EA   | Sodium hydroxide concentrate for 1 L standard solution, 1.0 M NaOH (1.0 N)   |
| 71690-1KG     | 1KG     | Sodium hydroxide puriss. p.a., ACS reagent, K 0.02%, ≥98.0% (T), pellets   |
| 30620-1KG-R   | 1KG     | Sodium hydroxide puriss. p.a., ACS reagent, reag. Ph. Eur., K 0.02%, ≥98%, pellets   |
| 30620-6X1KG-R | 6X1KG   | Sodium hydroxide puriss. p.a., ACS reagent, reag. Ph. Eur., K 0.02%, ≥98%, pellets   |
| 30620-5KG-R   | 5KG     | Sodium hydroxide puriss. p.a., ACS reagent, reag. Ph. Eur., K 0.02%, ≥98%, pellets   |
| 30620-4X5KG-R | 4X5KG   | Sodium hydroxide puriss. p.a., ACS reagent, reag. Ph. Eur., K 0.02%, ≥98%, pellets   |
| 06203-1KG     | 1KG     | Sodium hydroxide puriss., meets analytical specification of Ph. Eur., BP, NF, E524, 98-100.5%, pellets   |
| 06203-6X1KG   | 6X1KG   | Sodium hydroxide puriss., meets analytical specification of Ph. Eur., BP, NF, E524, 98-100.5%, pellets   |
| 06203-5KG     | 5KG     | Sodium hydroxide puriss., meets analytical specification of Ph. Eur., BP, NF, E524, 98-100.5%, pellets   |
| 06203-4X5KG   | 4X5KG   | Sodium hydroxide puriss., meets analytical specification of Ph. Eur., BP, NF, E524, 98-100.5%, pellets   |
| 35263-1L      | 1L      | Sodium hydroxide solution Reag. Ph. Eur., volumetric, 0.1 M NaOH (0.1N)  |
| 35263-6X1L    | 6X1L    | Sodium hydroxide solution Reag. Ph. Eur., volumetric, 0.1 M NaOH (0.1N)  |
| 35256-1L      | 1L      | Sodium hydroxide solution Reag. Ph. Eur., volumetric, 1 M NaOH (1N)  |
| 35256-6X1L    | 6X1L    | Sodium hydroxide solution Reag. Ph. Eur., volumetric, 1 M NaOH (1N)  |
| 35257-1L      | 1L      | Sodium hydroxide solution volumetric, 0.5 M NaOH (0.5N)  |
| 35257-6X1L    | 6X1L    | Sodium hydroxide solution volumetric, 0.5 M NaOH (0.5N)  |
| 71463-1L      | 1L      | Sodium hydroxide solution volumetric, 1 M NaOH (1N)  |
| 71395-1L      | 1L      | Sodium hydroxide standard solution volumetric, 0.1 M NaOH (0.1N)   |
| 71696-2.5L    | 2.5L    | Sodium hypochlorite solution purum, ~10% (RT)  |
| 425044-250ML  | 250ML   | Sodium hypochlorite solution reagent grade, available chlorine 10-15 %   |
| 35273-1L      | 1L      | Sodium nitrite solution volumetric, 0.1 M NaNO2 (0.1N)   |
| 89152-250G-F  | 250G    | Sodium perchlorate monohydrate for HPLC, ≥99.0%  |
| 71852-250G    | 250G    | Sodium perchlorate monohydrate purum p.a., crystallized, ≥98.0% (T)  |
| 71890-1KG     | 1KG     | Sodium persulfate purum p.a., ≥99.0% (RT)  |
| 04276-1KG     | 1KG     | Sodium phosphate dibasic puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E 339, anhydrous, 98-100.5% (calc. to the dried substance) |
| 04276-6X1KG   | 6X1KG   | Sodium phosphate dibasic puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E 339, anhydrous, 98-100.5% (calc. to the dried substance) |
| 31481-1KG-R   | 1KG     | Sodium sulfate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., anhydrous, ≥99.0%   |
| 31481-6X1KG-R | 6X1KG   | Sodium sulfate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., anhydrous, ≥99.0%   |
| 13464-1KG-R   | 1KG     | Sodium sulfate puriss., meets analytical specification of Ph. Eur., BP, USP, anhydrous, 99.0-100.5% (calc. to the dried substance)                     |
| 13464-6X1KG-R | 6X1KG   | Sodium sulfate puriss., meets analytical specification of Ph. Eur., BP, USP, anhydrous, 99.0-100.5% (calc. to the dried substance)                     |
| 71962-1KG     | 1KG     | Sodium sulfate purum p.a., anhydrous, ≥99.0% (T)   |
| 38243-1EA     | 1EA     | Sodium thiosulfate concentrate for 1L standard solution, 0.01 M Na2S2O3 (0.01N)  |
| 38243-6X1EA   | 6X1EA   | Sodium thiosulfate concentrate for 1L standard solution, 0.01 M Na2S2O3 (0.01N)  |
| 38200-1EA     | 1EA     | Sodium thiosulfate concentrate for 1L standard solution, 0.1 M Na2S2O3 (0.1N)  |
| 38200-6X1EA   | 6X1EA   | Sodium thiosulfate concentrate for 1L standard solution, 0.1 M Na2S2O3 (0.1N)  |
| 35245-1L      | 1L      | Sodium thiosulfate solution Reag. Ph. Eur., volumetric, 0.1 M Na2S2O3 (0.1N)   |
| 35245-6X1L    | 6X1L    | Sodium thiosulfate solution Reag. Ph. Eur., volumetric, 0.1 M Na2S2O3 (0.1N)   |
| 319554-100ML  | 100ML   | Starch solution 1% in H2O, indicator   |
| 34117-100ML   | 100ML   | Starch solution in saturated salt solution, indicator, from potato   |
| 34117-6X100ML | 6X100ML | Starch solution in saturated salt solution, indicator, from potato   |
| 38294-1EA     | 1EA     | Sulfuric acid concentrate for 1 L standard solution, 0.5 M H2SO4 (1.0 N)   |
| 38294-6X1EA   | 6X1EA   | Sulfuric acid concentrate for 1 L standard solution, 0.5 M H2SO4 (1.0 N)   |
| 32043-1EA     | 1EA     | Sulfuric acid concentrate for 1L standard solution, 0.05 M H2SO4 (0.1N)  |
| 32043-6X1EA   | 6X1EA   | Sulfuric acid concentrate for 1L standard solution, 0.05 M H2SO4 (0.1N)  |
| 30743-1L      | 1L      | Sulfuric acid puriss. p.a., for determination of Hg, ACS reagent, reag. ISO, reag. Ph. Eur., 95.0-97.0%  |
| 30743-6X1L    | 6X1L    | Sulfuric acid puriss. p.a., for determination of Hg, ACS reagent, reag. ISO, reag. Ph. Eur., 95.0-97.0%  |
| 30743-2.5L    | 2.5L    | Sulfuric acid puriss. p.a., for determination of Hg, ACS reagent, reag. ISO, reag. Ph. Eur., 95.0-97.0%  |
| 30743-4X2.5L  | 4X2.5L  | Sulfuric acid puriss. p.a., for determination of Hg, ACS reagent, reag. ISO, reag. Ph. Eur., 95.0-97.0%  |
| 07208-1L      | 1L      | Sulfuric acid puriss., meets analytical specification of Ph. Eur., BP, 95-97%  |
| 07208-6X1L    | 6X1L    | Sulfuric acid puriss., meets analytical specification of Ph. Eur., BP, 95-97%  |
| 07208-2.5L    | 2.5L    | Sulfuric acid puriss., meets analytical specification of Ph. Eur., BP, 95-97%  |
| 07208-4X2.5L  | 4X2.5L  | Sulfuric acid puriss., meets analytical specification of Ph. Eur., BP, 95-97%  |
| 35358-1L      | 1L      | Sulfuric acid solution Reag. Ph. Eur., volumetric, 0.05 M H2SO4 (0.1N)   |
| 35358-6X1L    | 6X1L    | Sulfuric acid solution Reag. Ph. Eur., volumetric, 0.05 M H2SO4 (0.1N)   |
| 35354-1L      | 1L      | Sulfuric acid solution Reag. Ph. Eur., volumetric, 0.5 M H2SO4 (1.0N)  |
| 35354-6X1L    | 6X1L    | Sulfuric acid solution Reag. Ph. Eur., volumetric, 0.5 M H2SO4 (1.0N)  |
| 35276-1L      | 1L      | Sulfuric acid solution volumetric, 1 M H2SO4 (2N)  |
| 19460-1L      | 1L      | tert-Butanol puriss. p.a., ACS reagent, ≥99.7% (GC)  |
| 34875-2.5L    | 2.5L    | tert-Butyl methyl ether CHROMASOLV®, for HPLC, ≥99.8%  |
| 34875-4X2.5L  | 4X2.5L  | tert-Butyl methyl ether CHROMASOLV®, for HPLC, ≥99.8%  |
| 34865-1L      | 1L      | Tetrahydrofuran CHROMASOLV® Plus, inhibitor-free, for HPLC, ≥99.9%   |
| 34865-6X1L    | 6X1L    | Tetrahydrofuran CHROMASOLV® Plus, inhibitor-free, for HPLC, ≥99.9%   |
| 34865-2.5L    | 2.5L    | Tetrahydrofuran CHROMASOLV® Plus, inhibitor-free, for HPLC, ≥99.9%   |

|               |        |  |
|---------------|--------|--|
| 34865-4X2.5L  | 4X2.5L | Tetrahydrofuran CHROMASOLV® Plus, inhibitor-free, for HPLC, ≥99.9%                                       |
| 87368-2.5L    | 2.5L   | Tetrahydrofuran contains 250 ppm BHT as inhibitor, puriss. p.a., ACS reagent, Reag. Ph. Eur., ≥99.9%     |
| 87368-4X2.5L  | 4X2.5L | Tetrahydrofuran contains 250 ppm BHT as inhibitor, puriss. p.a., ACS reagent, Reag. Ph. Eur., ≥99.9%     |
| 89541-1L      | 1L     | Titanium(IV) chloride purum, ≥98.0% (AT)   |
| 34494-2.5L    | 2.5L   | Toluene CHROMASOLV® for pesticide residue analysis acc. to FDA   |
| 34494-4X2.5L  | 4X2.5L | Toluene CHROMASOLV® for pesticide residue analysis acc. to FDA   |
| 34866-2.5L    | 2.5L   | Toluene CHROMASOLV®, for HPLC, 99.9%   |
| 34866-4X2.5L  | 4X2.5L | Toluene CHROMASOLV®, for HPLC, 99.9%   |
| 32249-1L      | 1L     | Toluene puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.7% (GC)                                |
| 32249-6X1L    | 6X1L   | Toluene puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.7% (GC)                                |
| 32249-2.5L    | 2.5L   | Toluene puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.7% (GC)                                |
| 32249-4X2.5L  | 4X2.5L | Toluene puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.7% (GC)                                |
| 65897-50ML-F  | 50ML   | Triethylamine eluent additive for LC-MS  |
| T6508-100ML   | 100ML  | Trifluoroacetic acid Reagent Grade, 99%  |
| 34877-2.5L    | 2.5L   | Water CHROMASOLV® Plus, for HPLC   |
| 34877-4X2.5L  | 4X2.5L | Water CHROMASOLV® Plus, for HPLC   |
| 39253-1L-R    | 1L     | Water LC-MS CHROMASOLV®  |
| 14263-1L      | 1L     | Water LC-MS Ultra CHROMASOLV®, tested for UHPLC-MS   |
| 95305-1L      | 1L     | Water TraceSELECT®, for trace analysis   |
| 34673-2.5L-R  | 2.5L   | Water with 0.1% formic acid LC-MS CHROMASOLV®  |
| 35071-1L      | 1L     | Wijs solution volumetric, 0.1 M ICI  |
| 35071-6X1L    | 6X1L   | Wijs solution volumetric, 0.1 M ICI  |
| 16446-2.5L    | 2.5L   | Xylenes  |
| 16446-4X2.5L  | 4X2.5L | Xylenes  |
| 31665-1KG     | 1KG    | Zinc sulfate heptahydrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5%                   |
| 31665-6X1KG   | 6X1KG  | Zinc sulfate heptahydrate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5%                   |
| 14455-1KG-R   | 1KG    | Zinc sulfate heptahydrate puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, 99.0-103.0% |
| 14455-6X1KG-R | 6X1KG  | Zinc sulfate heptahydrate puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, 99.0-103.0% |